PERMIT ATTACHMENT M -- LONG-TERM MONITORING AND MAINTENANCE PLAN FOR SOLID WASTE MANAGEMENT UNITS AND AREAS OF CONCERN GRANTED CORRECTIVE ACTION COMPLETE WITH CONTROLS

M.1 INTRODUCTION

This Long Term Monitoring and Maintenance Plan (LTMMP) addresses measures that the Permittees shall perform to provide protection of human health and the environment from constituents of concern present at various Solid Waste Management Units (SWMUs) and Areas of Concern (AOCs) at Sandia National Laboratories/New Mexico (SNL/NM). These SWMUs/AOCs are listed in Permit Attachment K, Table K-3, *Solid Waste Management Units, Areas of Concern, and Hazardous Waste Management Units for Which Corrective Action is Complete with Controls,* and Table M-1 of this Permit Attachment.

The SWMUs/AOCs subject to this LTMMP are located within the fenced boundaries of Kirtland Air Force Base (KAFB).

Measures under this LTMMP include surveillance of site conditions and maintenance of institutional controls. The controls are consistent with the risks presented by the site conditions and constituents of concern at each SWMU/AOC. The controls are implemented in an integrated and layered approach to enhance their effectiveness and reliability, and to provide continued protection in the event that one or more controls become temporarily impaired. Administrative and physical controls at the SWMUs/AOCs subject to this LTMMP include:

- Information management,
- Restrictions on future use,
- Awareness,
- Limited access restrictions as described in this LTMMP, and
- Physical features at some SWMUs/AOCs.

Maintenance of control measures, including routine surveillance, is conducted as necessary to prevent deterioration or failure of controls.

The administrative and physical controls are described in Section 2, the scope and frequency of surveillance and maintenance measures are described in Section 3, and periodic reports of SWMU/AOC status are summarized in Section 4 of this LTMMP. Information about the individual SWMUs/AOCs, controls, and maintenance measures is summarized in Table 1. Except for SWMUs 96 and 187, the SWMU/AOC locations are shown in Figures 1 through 5 of this Permit Attachment. The locations of SWMUs 96 and 187 could not be shown on Figures 1-5 due to their large spatial distribution. Instead, the locations for SWMUs 96 and 187 may be found on maps contained in the Investigation Report for each of these SWMUs.

Monitoring, maintenance, inspection, reporting and administrative and physical controls that shall apply to the Mixed Waste Landfill (SWMU 76) are solely those provided for in the Mixed Waste Landfill Long-Term Monitoring and Maintenance Plan (dated March 2012 and as it may be updated in the future upon approval by the Department).

M.2 INSTITUTIONAL CONTROLS

M.2.1 Administrative Controls

The following information about each SWMU/AOC listed in Table M-1 is maintained at SNL/NM: the SWMU/AOC location, characteristics, constituents of concern, corrective action, current conditions, and restrictions on future use.

The SWMUs/AOCs listed in Table M-1 are not approved for residential land use. Plans for future activities by the Permittees within one-half mile of each SWMU/AOC shall be evaluated to identify aspects that are not consistent with land use requirements for that SWMU/AOC.

M.2.2 Physical Controls

Physical controls that shall be implemented for each SWMU/AOC are listed in Table M-1. Each of the SWMUs/AOCs listed in Table M-1 is located within the fenced boundaries of KAFB. Public access to KAFB is restricted. Additional physical controls at these SWMUs/AOCs consist of one or more of the following:

- Land use restrictions (primarily industrial);
- Warning and information signs posted at each SWMU/AOC where feasible;
- Fences that restrict access to some or all of each SWMU/AOC; and
- Physical features such as subsurface location (e.g., sewer lines).

Where signs are posted at the SWMUs/AOCs, the signs shall include the following information:

- SWMU/AOC number;
- Site-specific instructions; and
- Contact information for further direction.

The specific controls and maintenance measures for each SWMU/AOC are listed in Table M-1.

	Table M-1								
	Summary of Institutional Controls for Solid Waste Management Units and Areas of Concern Requiring Controls								
SWMU/ AOC Number	Site Name	Site Data	Land Use	Signs and Postings	SWMU/AO C Inspections	Additional Information	Figure		
	OU 1289 Mixed Waste Landfill								
76	Mixed Waste Landfill (TA- III)		Industrial			Controls and other requirements specified in Mixed Waste Landfill Long-Term Monitoring and Maintenance Plan, dated March 2012 (and as the plan may be updated)	3		
	OU 1295 Septic Tanks and Drainfields								
137	Bldg. 6540/6542 Septic System (TA-III)	Maintained and tracked	Industrial	4 signs on SWMU perimeter, one each at selected corners of the SWMU	Annual		3		
OU 1302 TA-I									
96	Storm System Drain	Maintained and tracked	Industrial	Not feasible	None	SWMU consists of underground storm drains throughout TA-I. No signs, postings, or inspections are feasible due to SWMU features.	Not shown		

Table M-1 Summary of Institutional Controls for Solid Waste Management Units and Areas of Concern Requiring Controls

SWMU/ AOC Number	Site Name	Site Data	Land Use	Signs and Postings	SWMU/AO C Inspections	Additional Information	Figure
98	Building 863 (TCA, Photochemica I Releases: Silver Catch Boxes)	Maintained and tracked	Industrial	Not feasible	Annual	SWMU consists of subsurface area located under a building. No signs, postings, or inspections are feasible due to SWMU features.	1
187	Septic Tank Piping for POTW	Maintained and tracked	Industrial	Not feasible	None	SWMU consists of underground sewer lines throughout TA-I. No signs, postings, or inspections are feasible due to SWMU features.	Not shown
190	Steam Plant Tank Farm	Maintained and tracked	Industrial ^a	4 signs on SWMU perimeter, one in the approximate middle of each side of the SWMU	Annual		1
226	Old Acid Waste Line	Maintained and tracked	Industrial	Not feasible	None	SWMU consists of underground drain line throughout TA-I, II, and IV. No signs, postings, or inspections are feasible due to SWMU features.	1 and 2

Table M-1 **Summary of Institutional Controls for Solid Waste Management Units** and Areas of Concern Requiring Controls SWMU/ SWMU/AO Signs and **Site Name** Site Data \mathbf{C} AOC Land Use **Additional Information Figure Postings Inspections** Number OU 1303 TA-II 4 signs on SWMU Radioactive perimeter, one Maintained Waste each in selected Industrial 2 Annual and tracked Landfill corners of the **SWMU** 5 signs on SWMU Classified perimeter, one in Waste Maintained 2 Industrial the approximate 2 Annual Landfill (TAand tracked middle of each II) side of the SWMU Chemical Included with Maintained Industrial 3 Located adjacent to SWMU 1. 2 Annual Disposal Pit and tracked SWMU 1 Building 906 Maintained 135 Industrial 1 sign Annual 2 Drain System and tracked OU 1306 TA III and V 4 signs on SWMU perimeter, one in Mercury Spill Maintained 105 the approximate Industrial Annual 3 (Bldg. 6536) and tracked middle of each

side of the SWMU

Table M-1 Summary of Institutional Controls for Solid Waste Management Units and Areas of Concern Requiring Controls

	and Areas of Concern Requiring Controls						
SWMU/ AOC Number	Site Name	Site Data	Land Use	Signs and Postings	SWMU/AO C Inspections	Additional Information	Figure
196	Bldg. 6597 Cistern (TA- V)	Maintained and tracked	Industrial	1 sign near the northeast corner of the SWMU	Annual		3
	1	1	OU 130	77 Liquid Waste Disp	osal System	1	•
4	LWDS Surface Impoundment s	Maintained and tracked	Industrial	4 signs on SWMU perimeter, one in the approximate middle of each side of the SWMU	Annual		3
				OU 1309 Tijeras Ar	royo		
45	Liquid Discharge (Behind TA- IV)	Maintained and tracked	Industrial	5 signs on SWMU perimeter, one in approximately each corner of the SWMU outside of the TA-IV fence	Annual	Western half of the SWMU is located within the TA-IV fenced boundary	2
46	Old Acid Waste Line Outfall	Maintained and tracked	Industrial	4 signs along the TA-IV fence line and 7 signs posted along the south and west perimeter of the SWMU	Annual		2

Table M-1 Summary of Institutional Controls for Solid Waste Management Units and Areas of Concern Requiring Controls

and Areas of Concern Requiring Controls							
SWMU/ AOC Number	Site Name	Site Data	Land Use	Signs and Postings	SWMU/AO C Inspections	Additional Information	Figure
229	Storm Drain System Outfall (for TA-II)	Maintained and tracked	Industrial	1 sign at the top of the outfall	Annual		2
			0	U 1332 Foothills Tes	st Area		
87	Building 9990 Firing Site	Maintained and tracked	Industrial ^a	4 signs, one at the access road and three on the perimeter of the SWMU	Annual		5
	OU 1335 Southwest Test Area						
91	Lead Firing Site (Thunder Range)	Maintained and tracked	Industrial ^a	4 signs on SWMU perimeter, one in the approximate middle of each side of the SWMU	Annual		4
Miscellaneous Sites							
1029	Building 6584 North Septic System (TA- III)	Maintained and tracked	Industrial	3 signs on SWMU perimeter	Annual		3

Table M-1 Summary of Institutional Controls for Solid Waste Management Units and Areas of Concern Requiring Controls

SWMU/ AOC Number	Site Name	Site Data	Land Use	Signs and Postings	SWMU/AO C Inspections	Additional Information	Figure
1081	Building 6650 Septic System (TA-III)	Maintained and tracked	Industrial	3 signs on SWMU perimeter	Annual		3
1090	Bldg. 6721 Septic System (TA-III)	Maintained and tracked	Industrial	1 sign, approximately in the middle of the SWMU	Annual		3

^a The Permittees have separate documentation with KAFB to maintain institutional controls at this location, however, this documentation does not prohibit KAFB uses of the land.

M.3 MAINTENANCE OF INSTITUTIONAL CONTROLS

M.3.1 Maintenance of Administrative Controls

Records and information for each SWMU/AOC listed in Table M-1 are maintained in written or electronic form at SNL. The records are kept current and are updated when new information becomes available or is generated. The records include the following:

- Site location and characteristics;
- Site history and corrective action;
- Land use permits or agreements with KAFB;
- Documentation of current site conditions, including information from annual inspections;
- Type of controls;
- Maintenance records;
- Planning information, including restrictions on future activities at the site; and
- Copies of reports previously submitted to the Department.

M.3.2 Maintenance of Physical Controls

The Permittees shall periodically inspect and maintain the physical controls at the SWMUs/AOCs. Documented annual inspections include reviews of the following, as applicable:

- Condition of the site;
- Evidence of erosion, seepage, or subsidence;
- Evidence of newly-occurring or newly-visible contamination;
- Condition and location of signs;
- Evidence of activities that are not consistent with restrictions in place; and
- Evidence of residential activities adjacent to the given SWMU/AOC that would necessitate additional awareness measures and access restrictions for the site.

Inspection results are evaluated for necessary maintenance, including repair, replacement, or installation. Maintenance will occur on the following schedule (Table M-2) unless weather or other site-specific conditions require a delay.

Table M-2						
Maintenance Schedule						
Maintenance Issue	Response Schedule					
Erosion, seepage, or subsidence	Evaluate severity and if necessary develop mitigation plan within 120 days					
	Complete in a timely manner					
Newly-occurring or newly-discovered contamination	See Permit Part 8					
	Begin to address within 30 days					
Signs						
	Complete in a timely manner					
Activities that are inconsistent with site	Begin to address within 30 days					
restrictions	Complete in a timely manner					
Awareness measures to address new	Develop measures within 30 days					
residential activities adjacent to						
SWMU/AOC locations	Implement measures in a timely manner					
Access restrictions to address new	Develop measures within 60 days					
residential activities adjacent to						
SWMU/AOC locations	Implement measures in a timely manner					

The Permittees shall perform follow-up inspections to verify completion of corrective actions. Follow-up inspections shall occur within 180 days after the actions are completed and may be combined with annual inspections.

M.4 LTMMP REPORTING REQUIREMENTS

An annual SWMU/AOC LTMMP report shall be prepared to document the following:

- Annual inspection results;
- Maintenance and repair activities required;
- Status of maintenance and repair activities; and
- Other conditions or events at the site that affect the performance of the controls.

The report shall include all SWMUs/AOCs listed in the Permit Table M-1. The annual report for each calendar year shall be submitted to the Department by March 31 of the following year.